

असाधारण EXTRAORDINARY

भाग । ।—सण्ड 3—उप-खण्ड (ii) PART II—Section 3 --Sub-section (ii)

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

मं॰ 640] नई दिल्ली, मंगलवार, नवध्वर 6, 1990/आखिन 15, 1912 No. 640] NEW DELHI, TUESDAY, NOVEMBER 6, 1990/ASVINA 15, 1912

इस भाग भें भिन्न पूष्ठ संख्या की जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a separate compilation

MINISTRY OF URBAN DEVELOPMENT

(Delhi Division)

Corrigendum

New Delhi, the 24th September, 1990

S.O. 837(E).—The following Corrigendum to the Gazette of India Extraordinary, Part II Section 3, Sub-section (ii), No. 437, dated 1-8-90 is published for general information:

Correction
' to be inserted between the word Safe and Convenient.
' to be inserted between the word Fact and During.

2	THE GAZETTE OF INDIA : EXT	•
SL	No. Page No.	Correction
3.	117 (para 6 line 6)	spelling railly to be corrected as RAILWAY
4.	118 (in the first map)	The word LRT to be deleted.
5.	118 (para 7 line 3)	'to be inserted between the word System and The.
6.	118 (1st para under heading sub-regional pla line No. 8	n) 'a fact' to be read as 'In fact'
7.	120 1st table column 2	Table to be corrected as 4°83.
8.	120 (2nd table) 1st Column	'to be corrected under Quasi Govt. as 384 instead of 834 printed.
9.	120(2nd table)	Against private %age to be created as 20.09 instead of 23.00
10.	120 (table under the heading population hol capacity of the Delhi Urban Area (DUA) -8 last column against H	ding 'to be corrected as 1,597,900 instead of 1,597,500
11.	120 (para Urban Extension line 5)	Fullstop to be inserted between the word Capital and Land.
12,	121 (1st table against land use)	%age to be inserted instead of M
13.	121 (para under heading Housing Compone line 1)	ents Service to be corrected as a serve.
14.	122(para 3 line 5)	250 sym to be corrected as sqm.
15.	123heading Work Centre Industry	'to be inserted between the word work Centre and industry.
	125 heading trade and Commerce Retail trade	'to be inserted bwetween the word Comm- Retail trade.
17.	136 table about water Treatment plant.	Total to be corrected as 700 in place of 703.
18.	137 table on Sewerage Treatment plant	Total to be corrected as 630 in place of 610.
19.	Page No. 77 and 163	After the heading college the number is to be corrected as 086 in place of 036.
20.	187	No. 9 before Sh. Ranbir Singh is to be

deleted.

*to be added before Sh. M.N. Buch

to be replaced by Tapan.

In the names of Astt. Dir. (Plg.) the word Sale to be replaced by Sakle and also Tapen

21, 114 and 187

22. 187

**							
119 1st line in the para under EMPLOYMENT '' to be corrected as ':'							
24. 60/152	In the table entitled "permission of selectd use premises in use zones RD, Cl, C2, M1, M2" in line No. 4 i.e. S.No. 007 asterix in Col. 1 & 4 are to be deleted and are to be read against the line under use premises (ii) all others in col. under use zone RD & M1.						
25. 120	In col. 2&3 the figures to be read as 4283 and 177 in place of 4083 & 107 respectively.						
26. 120 Table No. 2 line No. 5 col. 3 under perentage,	In place of 23.00 it sould be read as 23.90.						
27. 48/145	In Section 4-community, sub-section 5, integrated school with Hostel facility the row has to be corrected as:—						
	1 39000 39,000 in place of 3900 3900						

[No. K-13011/19/84-DDHA/VA/IB]
ARJAN DEV, Under Secy.